


U.S. PTO APPLICATION/CONTROL NUMBER: 10/816,962

ART UNIT: UNASSIGNED


Fig. 1



U.S. PTO APPLICATION/CONTROL NUMBER: 10/816,962

ART UNIT: UNASSIGNED

Fig. 2



U.S. PTO APPLICATION/CONTROL NUMBER: 10/816,962

ART UNIT: UNASSIGNED


Fig. 3

The image shows a graphical user interface for a system titled "Virtual E-Digi-Power". At the top left is the logo "Virtual E" and at the top right is the title "Digi-Power". Below the title are three large rectangular buttons labeled "Over View", "Set Up", and "Status". In the center of the screen is a rectangular input field containing the number "00009303984768728560091". Below this input field are two buttons labeled "Clear" and "Accept". At the bottom of the interface is a numeric keypad consisting of ten buttons labeled with the digits "1" through "9" and "0".

U.S. PTO APPLICATION/CONTROL NUMBER: 10/816,962

ART UNIT: UNASSIGNED


Fig. 4



U.S. PTO APPLICATION/CONTROL NUMBER: 10/816,962

ART UNIT: UNASSIGNED

Fig. 5



U.S. PTO APPLICATION/CONTROL NUMBER: 10/816,962

ART UNIT: UNASSIGNED

Fig. 6

